



Tel:0086 15874915086
Email:inquiry@xyvending.com
Website:www.xyvend.com
Add:No.100Yazhou Road,Jinzhou new zone,Ningxiang,Changsha,China.





Smart retail solution provider!

About Us




XY Vending is a high-tech company specialized in the development, production and sales of products related to self-service technology in China.



XY Vending has its own prouduction base including the sheet-metal processing department, painting department, assembling department.



XY Vending has a professional and outstanding team which has committed to vending industry for many years and oppossed rich experience in design, production, integration and afterservice.



Ш

| 1/12 | SNACK&BEVERAGE VENDING MACHINE |
|---------|--------------------------------|
| 13/16 | FROZEN VENDING MACHINE |
| 17/24 . | HOT FOOD VENDING MACHINE |
| 25/28 | LOCKER VENDING MACHINE |
| 29/46 | OEM VENDING MACHINE |

Snack&Beverage Vending Machine




SNACK & BEVERAGE VENDING MACHINE

XY-DLE-10C-I







| Appearance | Dimension | 1920mmx1222mmx875mm |
|---------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 300 kgs |
| | Ship Weight | 310 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 300-900 pcs |
| | Tray Type | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic | Voltage | AC110V-240V,50-60Hz |
| Specification | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |



XY-DLY-10C-10.1









| Appearance | Dimension | 1920mmx1222mmx875mm |
|---------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 10.1 " Touch Screen |
| | Machine Weight | 300 kgs |
| | Ship Weight | 310 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 300-900 pcs |
| | Тгау Туре | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic | Voltage | AC110V-240V,50-60Hz |
| Specification | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |



XY-DLE-10C-L1









| Appearance | Dimension | 1920mmx1222mmx875mm |
|---------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 300 kgs |
| | Ship Weight | 310 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 300-900 pcs |
| | Tray Type | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic | Voltage | AC110V-240V,50-60Hz |
| Specification | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |



XY-DLE-10C-L4







| Appearance | Dimension | 1920mmx1222mmx875mm |
|---------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 300 kgs |
| | Ship Weight | 310 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 300-900 pcs |
| | Tray Type | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic | Voltage | AC110V-240V,50-60Hz |
| Specification | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |
| | | |









XY-DLY-10C-49"

XY-DLY-10C-21.5"

PUSH



XY-DLY-10C-32"

Frozen Vending Machine






Ice cream or ice-cream (originally iced cream) is a frozen dessert usually made from dairy products, such as milk and cream, combined with fruits or other ingredients.









| Appearance | Dimension | 1920mmx745mmx870mm |
|-----------------------------|----------------------|---|
| | Color | white / black /OEM |
| | Screen | 5" LCD |
| | Machine Weight | 220 kgs |
| | Ship Weight | 230 kgs |
| | Selections | 36 max |
| Mechanical | Capacity | 300-600 pcs |
| Specification | Product Channel Type | Tray type |
| | Payment | All industry standard MDB compatiable devices |
| | Delivery Methods | Elevator system |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| | Cooler Temp Range | -25°C-15°C |
| | Refrigerant | R404 |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |







| | Dimension | 1935mmx1660mmx1080mm | |
|-----------------------------|-------------------|---|--|
| Appearance | Color | White / Black /OEM | |
| | Screen | 21.5" touch screen | |
| | Machine Weight | 400 kgs | |
| | Ship Weight | 410 kgs | |
| | Selections | 54 max | |
| Mechanical Specification | Capacity | 300-600 pcs | |
| | Тгау Туре | Belt/Spiral | |
| | Payment System | All industry standard MDB compatiable devices | |
| | Delivery Methods | Elevator system | |
| | Voltage | AC110V-240V,50-60Hz | |
| Electronic Specification | Cooler Temp Range | -25°C-15°C | |
| | Refrigerant | R290/R452a | |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating | |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc | |

RELATED MODEL FROZEN VENDING MACHINE










XY-SLE-5A-LD



XY-SLY-9C-21.5"-LD



XY-SLY-9C-49"-LD

Fresh Food Vending Machine










| | | Dimension | 1935mmx1485mmx950mm 1935mmx1085mmx950mm |
|--|---|-------------------|---|
| | Appearance | Color | White |
| | | Screen | 21.5" touch screen |
| | | Machine Weight | 380 kgs+280 kgs |
| | | Ship Weight | 690 kgs |
| | | Selections | 120 max |
| | Mechanical | Capacity | 300-1000 pcs |
| | Specification | Тгау Туре | Conveyor belt (spiral, pusher are available) |
| | | Payment System | All industry standard MDB compatiable devices |
| | | Delivery Methods | Lifting system |
| | Electronic Specification Features | Voltage | AC110V-220V,50-60Hz |
| | | Cooler Temp Range | 2°C-25°C |
| | | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |




Delicious and nutritious fast food

XY-FSLY-4C-002









| | Dimension | 1940mmx1790mmx975mm |
|-----------------------------|----------------------|---|
| Appearance | Color | white / black /OEM |
| | Screen | 21.5" touch screen |
| | Machine Weight | 380 kgs |
| | Ship Weight | 390 kgs |
| | Selections | 70 max |
| Mechanical Specification | Capacity | 60-100 pcs |
| Specification | Product Channel Type | Conveyor belt (spiral, pusher are available) |
| | Payment | All industry standard MDB compatiable devices |
| | Delivery Methods | Elevator System |
| Electronic Specification | Voltage | AC110V-220V,50-60Hz |
| | Cooler Temp Range | 2°C-25°C |
| | Refrigerant | R290/R452a |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |

HEALTHY FOOD VENDING MACHINE

XY-SLE-10C










| Appearance | Dimension | 1920mmx1180mmx855mm |
|-----------------------------|----------------------|---|
| | Color | white / black /OEM |
| | Screen | 5" LCD screen |
| | Machine Weight | 350 kgs |
| | Ship Weight | 360 kgs |
| | Selections | 60 max |
| Mechanical Specification | Capacity | 360-960 pcs |
| Specification | Product Channel Type | Spiral tray/Belt/Push |
| | Payment | All industry standard MDB compatiable devices |
| | Delivery Methods | Lifting system |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| | Cooler Temp Range | 2°C-25°C |
| | Refrigerant | R290/R452a |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |







| | Dimension | 1920mmx1180mmx855mm |
|-----------------------------|-------------------|---|
| Appearance | Color | White / Black /OEM |
| | Screen | 5" LCD screen |
| | Machine Weight | 320 kgs |
| | Ship Weight | 330 kgs |
| | Selections | 60 max |
| Mechanical Specification | Capacity | 360-960 pcs |
| Specification | Tray Type | Spiral tray/Belt/Push |
| | Payment System | All industry standard MDB compatiable devices |
| | Delivery Methods | Lifting system |
| Electronic | Voltage | AC110V-240V,50-60Hz |
| Specification | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |

Locker Vending Machine






XY-KRY-1A XY-ZLF-10C-001

Product Advantages

 Refrigeration system to keep products fresh









| | Dimension | 1920mmx540mmx780mm 2160mmx1185mmx700mm |
|-----------------------------|-------------------|---|
| Appearance | Color | White / Black /OEM |
| | Screen | 32" touch screen |
| | Machine Weight | 360 kgs |
| | Ship Weight | 370 kgs |
| | Selections | 60 max |
| Mechanical Specification | Capacity | 28 lockers |
| specification | Тгау Туре | Locker |
| | Payment System | All industry standard MDB compatiable devices |
| | Delivery Methods | Open door pickup |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| | Cooler Temp Range | 2°C-25°C |
| - eatures | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |

RELATED MODEL LOCKER VENDING MACHINE



115 mice 114 mice 113 mile 112 mile 111 mile

125 mile 122 mile 122 mile 122 mile 122 mile

135 Price 234 Price 133 Price 122 Price 131 Price

145 Pose 144 Pose 143 Pose 140 Pose 141 Pose

155 mile 154 mile 153 mile 152 mile 151 mile

165 Price 164 Price 165 Price 162 Price 161 Price

175 Price 172 Price 172 Price 173 Price

185 Price 184 Price 183 Price 182 Price 181 Pr

195 Prilis 194 Price 193 Price 192 Price 197 Price





XY-CRE-4A-18



XY-CRE-4A-36 XY-CRE-4A-50

OEM Vending Machine











| Appearance | Dimension | 1920mmx745mmx865mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 220 kgs |
| | Ship Weight | 230 kgs |
| Mechanical | Selections | 36 max |
| Specification | Capacity | 300-600 pcs |
| | Тгау Туре | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| Features | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |



Instant enjoyment of delicious food

INSTANT NOODLE

VENDING MACHINE

XY-DRE-10C-N

Product Advantages

- Large capacity
- Hot water dispenser
- Small protection door design outside, the hot water dispenser:
- *Anti-splash
- *Anti-dust
- Delicious food will be served instantly
- High volumn water stock



Details



Product tray



| sppearance | Dimension | 1920mmx1300mmx790mm |
|---------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 280 kgs |
| | Ship Weight | 290 kgs |
| Mechanical | Selections | 56 max |
| pecification | Capacity | 124-156 pcs |
| | Тгау Туре | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| lectronic pecification | Voltage | AC110V-240V,50-60Hz |
| eatures | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |





Product Advantages

- Large capacity
- Keep your beauty all day









| Appearance | Dimension | 1920mmx1180mmx790mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 280 kgs |
| | Ship Weight | 290 kgs |
| | Selections | 60 max |
| Mechanical Specification | Capacity | 300-960 pcs |
| | Tray Type | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| Features | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |





XY-DRY-10C

Product Advantages


- Large capacity
- Keep your beauty all day







| Appearance | Dimension | 1920mmx1180mmx790mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 10.1 " Touch Screen |
| | Machine Weight | 280 kgs |
| | Ship Weight | 290 kgs |
| | Selections | 60 max |
| Mechanical Specification | Capacity | 300-960 pcs |
| | Tray Type | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| Features | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |









| Appearance | Dimension | 1920mmx1180mmx790mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 280 kgs |
| | Ship Weight | 290 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 168-210 pcs |
| | Тгау Туре | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| eatures | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |








| Appearance | Dimension | 1435mmx2014mmx1172mm; |
|---------------|-------------------|---|
| | | 1916mmx 1340mm x 855mm |
| | Color | White / Black /OEM |
| | Screen | 21.5 " touch screen |
| | Machine Weight | 450 kgs |
| | Ship Weight | 460 kgs |
| | Selections | 60 max |
| Mechanical | Capacity | 300-900 pcs |
| Specification | Тгау Туре | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| | Voltage | AC110V-240V,50-60Hz |
| | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |










| Appearance | Dimension | 1920mmx1180mmx790mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 280 kgs |
| | Ship Weight | 290 kgs |
| Mechanical | Selections | 40 max |
| Specification | Capacity | 168-200 pcs |
| | Тгау Туре | Spiral/Push/Conveyor belt |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| Features | Standard Features | LED Lighting/Drop Sensor |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |







| Appearance | Dimension | 1920mmx1180mmx855mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 5 " LCD |
| | Machine Weight | 320 kgs |
| | Ship Weight | 330 kgs |
| Maakaniaal | Selections | 40-60 max |
| Mechanical Specification | Capacity | 168-300 pcs |
| | Tray Type | Push Type/Belt/Spiral |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| | Cooler Temp Range | 2°C-25°C |
| - eatures | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |
| | | |

Medicine vending machine

XY-DRY-10C-21.5inch









| | Dimension | 1920mmx1350mmx855mm |
|---------------|-------------------|---|
| Appearance | Color | White / Black /OEM |
| | Screen | 21.5"touch screen |
| | Machine Weight | 350 kgs |
| | Ship Weight | 360 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 360-960 pcs |
| | Tray Type | Spiral tray/Belt/Push |
| | Payment System | All industry standard MDB compatiable devices |
| Electronic | Voltage | AC110V-240V,50-60Hz |
| Specification | Cooler Temp Range | 2°C-25°C |
| | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| Features | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |









| Appearance | Dimension | 1920mmx1400mmx800mm |
|-----------------------------|----------------------|---|
| | Color | white / black /OEM |
| | Screen | 21.5 " Touch Screen |
| | Machine Weight | 350 kgs |
| | Ship Weight | 360 kgs |
| Mechanical | Selections | 60 max |
| Specification | Capacity | 100-150 pcs (Depend on product size) |
| | Product Channel Type | spiral/push/conveyor belt |
| | Payment | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |

LUCKY BOX vending machine











| Appearance | Dimension | 1920mmx1350mmx800mm |
|-----------------------------|----------------------|---|
| | Color | white / black /OEM |
| | Screen | 21.5 " Touch Screen |
| | Machine Weight | 350 kgs |
| | Ship Weight | 360 kgs |
| | Selections | 60 max |
| Mechanical Specification | Capacity | 100-150 pcs (Depend on product size) |
| | Product Channel Type | spiral/push/conveyor belt |
| | Payment | All industry standard MDB compatiable devices |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |



Anick Easy and Open!









| Appearance | Dimension | 2000mmx1400mmx960mm |
|-----------------------------|-------------------|---|
| | Color | White / Black /OEM |
| | Screen | 21.5"touch screen |
| Mechanical Specification | Machine Weight | 320 kgs |
| | Ship Weight | 330 kgs |
| | Selections | 60 max |
| | Capacity | 360-960 pcs |
| | Тгау Туре | Spiral tray/Belt/Push |
| | Payment System | All industry standard MDB compatiable devices |
| | Delivery Methods | Lifting system |
| Electronic Specification | Voltage | AC110V-240V,50-60Hz |
| | Cooler Temp Range | 2°C-25°C |
| Features | Standard Features | LED Lighting/Drop Sensor/Glass Heating |
| | Optional | Cloud system/Alarm/Wheels/Custom decal/etc |